THE WORLD OF GEOLOCATION DATA

Information about where devices are located can serve as a proxy for where individuals are located over time, which can be very revealing of individual behavior, interests, or beliefs. How is location data generated, who has access to it, and how is it used?

HOW A DEVICE LOCATES ITSELF

Mobile devices contain hardware sensors that allow them



Known

Signals

Bluetooth

GYM

to detect a wide variety of signals.

surroundings.

05

APPLICATIONS

Shopping

Games

Social

Media

Rideshare

Weather

Maps

HOW LOCATION DATA IS COLLECTED

Collecting location data from a device usually requires a coordinated interaction between the user, the operating system (OS), and the physical hardware. Here is how those layers interact:

The **device hardware** detects signals from

The **OS** analyzes the signals and provides the technical permission layer for Apps to request access to a precise location measurement.



The **App** requests permission from the user via the OS.

Allow "Weather" to access your location while you are using the app?

ALLOW WHILE USING **ALLOW ONCE DON'T ALLOW**

The **OS** provides a precise location measurement and timestamp to the app.



ENTITIES THAT ACCESS, USE, OR SHARE LOCATION DATA

Different entities provide services that require or use location data for a wide range of purposes. Here are some examples:



Carriers

Cell phone carriers generally know where devices are located because they direct calls and content to phones through local cell towers. This information is collectively known as cell site location information (CSLI).



Different entities are subject to different restrictions. Broadly applicable privacy and consumer protection laws may also apply. Here are some examples:





Telecommunications



Operating System (OS)

Providers of mobile operating systems may know where devices are located as a result of providing services or enabling location features.



User Controls

CONTRACT



Apps and App Partners

Many apps provide location-based features, such as weather alerts. In addition, many share location data with partners, for example to detect fraud, provide analytics, or to target ads. Most apps use Software Development Kits (SDKs), or code developed by third parties, to enable features and allow partners direct access to data.

Data Brokers, Aggregators, and Other Third Parties

disclosed to a variety of downstream entities that do

not have a direct relationship with the user, for example:

Location data may be licensed, sold, or otherwise

advertising networks, hedge funds, consumer data





App Store






User Controls



CONTRACT Λ,

Contracts



CONTRACT

 $\mathcal{\Lambda}_{\sim}$ Contracts

Location Analytics Providers

or government buyers.

Many airports, stadiums, and stores analyze signal data emitted by connected devices (mobile phones, fitness trackers, etc.) to better understand their busiest hours or in-store foot-traffic.





DETERMINING RISK IN LOCATION DATASETS

Nearby Wi-Fi

Proximity to

Other Devices

Networks

Location datasets may reveal personal behavior and impact the privacy of individuals or groups. Here are some factors to consider when evaluating privacy risks:



Proximity vs. Location

Proximity to nearby devices or signals can be measured without revealing a device's actual location. The use of nearby signals (such as Bluetooth) can be less risky than collecting a detailed location history of a device.



Precision and Accuracy Location data can be accurate (revealing of a device's "true location") or inaccurate, as well as precise (such as a street corner), or imprecise (such as a city or country).



Persistence and Frequency Prolonged location tracking is more revealing of individual behavior. A persistent identifier (such as an IMEI number or an advertising ID) usually creates more risk than a random, rotating identifier.



Sensitive Locations

Known locations (such as a person's home or workplace), or sensitive locations (such as schools or clinics) can increase risk of re-identification or reveal intimate information.



De-identifying Techniques

Many techniques can be applied to reduce the risk of identifying individuals within a location dataset, including aggregating the data, or applying computational methods such as differential privacy. Risk can also be reduced through administrative access controls.

